

( RECEIVED MAY 27 2005

**Notice of Allowability****Application No.**

09/991,781

**Applicant(s)**

STIESDAL ET AL

**Examiner**

Christopher Verdier

**Art Unit**

3745

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the telephone interview of May 20, 2005.
2. ☒ The allowed claim(s) is/are 17-20.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

RECEIVED MAY 27 2005

Application/Control Number: 09/991,781

Page 2

Art Unit: 3745

**REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

During a telephone interview on May 20, 2005 between the undersigned and Meera Narasimhan, Attorney of Record, it was explained to the examiner that according to MPEP 2181 II, the test for meeting the compliance for invoking 35 U.S.C. 112, sixth paragraph is that the corresponding structure of a means-plus-function limitation must be disclosed in the specification in a way such that one skilled in the art would understand what structure will perform the recited function. This argument was found to be persuasive. Claim 17, lines 5-7 recite "means for connecting the serrated panel to a trailing edge on each of the wind turbine rotor blades of the wind turbine rotor". Applicants' specification (page 10, lines 4-8) states that the serrated panels are mounted with double-adhesive tapes on the blades. None of the prior art of record discloses that the means for connecting the serrated panel to a trailing edge on the wind turbine rotor blades is in the form of double-adhesive tapes, or equivalents thereof. The Examiner's Answer of June 8, 2004 also indicated the same reason for allowance of claims 17-20.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

In the Drawings:

Application/Control Number: 09/991,781

Page 3

Art Unit: 3745

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: In order to avoid abandonment of the application, applicant must make these following agreed upon drawing changes: Applicant will submit formal drawings for all drawing figures, and the drawings for figures 10-11 will be such that they are clear and readable.


The above change to the drawings has been authorized in order to provide clear formal drawings.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C.V.  
May 25, 2005

  
Christopher Verdier  
Primary Examiner  
Art Unit 3745